



A GLOBAL FAMILY OF BRANDS



Concealed Cistern

Wisa WC Frame 5 MF

Product Data Sheet

SKU code: 8050452852

EAN code: 8711778229334

Installation method

- Installation in prefabricated walls or studded walls
- Pre-wall installation in dry walls
- Universal installation into solid walls

Properties

- Self-supporting, blue powder coated frame, square profile 30x30 mm, 500 mm wide
- 400 kg load tested frame
- Enables installation of wall hung WC pans with dimension of 180 mm or 230 mm
- Wall brackets included
- Adjustable supporting feet (0-475 mm)
- Pre-assembled concealed cistern, with front mechanical actuation
- Installed factory pre-set dual flush valve, large flush 6 L, small flush 3 L
- Concealed cistern is fully insulated against condensation
- Water supply connection possibility on the three positions
- Maintenance service work is possible without using any tools

Special features

- Quiet mechanical fill valve Fluidmaster 747 Series (Noise class 1 ISO 3822)
- Fill valve flow pressure 0,2 - 10 bar
- Depth adjustable drain elbow (+/-20 mm)

Product contains


- Concealed cistern is equipped with pre-installed stop valve
- Water supply connection G 1/2 with flexible hose
- PE-HD drain elbow \varnothing 90 / 90 mm with seal
- Eccentric PE-HD adapter \varnothing 90 / 110 mm with seal
- Installation manual
- Complete installation and fixing material

Dimension of the product

- Depth 125-195 mm, width 460 mm, height 1150 mm

Information

- Quantity – packaging / pallet: 1 / 20 pcs
- Warranty: more information in General terms and conditions



Available flush plates accessories has to be ordered separately

www.fluidmaster.com, www.liv.si, www.sanitaer-schwab.com, www.wisa-sanitair.com



A GLOBAL FAMILY OF BRANDS



Fill valve

- 747 fill valve with 3/8 brass shank with filter inside
- Compact servo hydraulic valve with self-cleaning action
- Sound level 32 dBA with restrictor (side mount)
- Operating pressure 0,2 - 10 bar
- Valve tail is included
- Unique snap release wasy access & maintenance




Flush valve

- Full and half flush option (Standart volume 3 L / 6 L)
- Easy replacement with flexible rubber-tube
- Black EPDM rubber gasket



Tank

- 2 peace (Upper and lower body)
- Manufactured with PL-PPC raw-material
- External protection against condensation EPS material (Molded Styrofoam)




Frames

- Blue powder coated frame against to corrosion (Between 80-120 microns)
- Square profile 30x30 mm
- Extended galvanized legs (0-475mm) with Four (4) possible leg positions



FLUSH PLATES

8050499201



White

8050499231



Glossy Chrome

8050499251



Matt Chrome

8050499238



Black

8050499901



White

8050499951



Glossy Chrome

8050499931



Matt Chrome

8050499938



Black

P47-0120-0253



Glossy Chrome

P47-0110-0253



Matt Chrome

P47-0201-0250



Chrome White + Chrome Rings

P47-0190-0253



Black

P47-0205-0250



Chrome White + Gold Rings

P47-0235-0250



Chrome Black + Gold Rings

P47-0202-0250




Chrome Black + Chrome Rings

P67-0130-0250



White

P67-0120-0250



Glossy Chrome

P67-0190-0250



Black

P54-0018-0250



Steel Design

P54-0003-0250



White

P54-0001-0250



Black